



## R&R industrial keyboyrd IKV6-423ET3 – for tough environment

Housing	Aluminium anodized
Cutout	approx 365 x 135 mm
dimensions	(W x H x D) 384 x 156 x 32 mm Drawing see DNR 17590
keyboard	64 patented R&R Metall keys type V6 Aluminum colourless anodized optional, black, red, blue, green Sealed contatc, sealed guiding
enscription	Aluminum inlays, engraved,

IKV6-423ET03

layout

IKV6-423 german with function keys DNR 14459



layout


German standard DNR 15741





interface

PS2 or USB




IKV6-423ET03

Ob der Eck 4· D-78148 Gütenbach · Telefon (07723) 9186-0 · Telefax (07723)9186-30

[WWW.RURGMBH.DE](http://WWW.RURGMBH.DE) [INFO@RURGMBH.DE](mailto:INFO@RURGMBH.DE)

DNR17594\_E.DOC

Trackball 30 mm TR127



Trackball	30 mm ball, black, option stainless steel, ring light operating in every angle Lifetime $\geq 6$ million rotations smooth actuation operating protection class IP 65 dustproof, waterproof
interface	PS2 or USB
Cable length	3m
Protection calls	IP 65 dustproof, waterproof
Operating temperature	-25°C up to +60°C

See drawing DNR17590

IKV6-423ET03