

**R&R industrial keyboards  
with plastic key tops**







desktop keyboards, 19" drawer keyboards, 19" front panel keyboards, mountable keyboards



**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
1736		
1237	IK-Null PC/AT Tastaturabschluß RR-P-347	
170	<p>IK100 matrix</p> <p>R&amp;R industrial keyboard                      19" part front panel Al electrolytic-oxidated                      (W x H x D) 254 x 129 x 30 mm                      5 x 12 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      connector 2-row, 34-pin plug                      protection class IP 6 5 front side                      data sheet DNR 4297</p>	
136	<p>IK101 matrix</p> <p>R&amp;R industrial keyboard                      19" part front panel Al electrolytic-oxidated                      (W x H x D) 122 x 129 x 30 mm                      25 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      connector 2-row, 34-pin plug                      protection class IP 6 5 front side                      data sheet DNR 4298</p>	

**R&R Industrial Keyboards**  
**August 2005**  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
418	<p>IK2x5</p> <p>R&amp;R industrial keyboard            rack mount            (W x H x D) appr. 95.2 x 114.2 x 28 mm            2 x 5 patented R&amp;R keys            key caps type LP            double wide (37 x 18 mm)            lift 3 mm, actuation force 1 N            every pin to the outside            connector 15-pin sub-D-plug weight appr. 0.25 kg            front side protection class IP 6 5            data sheet DNR 6479</p>	
120	<p>IK4200 19"</p> <p>R&amp;R drawer keyboard            19" rack mount, 1HU, Al elox            (W x H x D) 482 x 44 x400 mm            DEC VT 420 compatible            108 patented R&amp;R keys            lift 3 mm, actuation force 1 N            cable 3 m            protection class IP 6 5 all around            weight 5.7 kg            data sheet DNR 3037</p>	
1300	<p>IK4200 19" USASCII</p> <p>R&amp;R drawer keyboard            19" rack mount, 1HU, Al elox            (W x H x D) 482 x 44 x400 mm            DEC VT 420 compatible            108 patented R&amp;R keys            lift 3 mm, actuation force 1 N            cable 3 m            protection class IP 6 5 all around            weight 5.7 kg            data sheet DNR 3037</p>	
64	<p>IK4200 RS423 DEC VT 420</p> <p>R&amp;R industrial keyboard            suitcase, Al sand cast lacquered            (W x H x D) 505 x 250 x 35 (52) mm            weight appr. 5.7 kg            108 patented R&amp;R keys            lift 3 mm, actuation force 1 N            protection class IP 6 5 all around            data sheet DNR 3036</p>	

**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
918	<p><b>IK4x3 SPS</b></p> <p>R&amp;R industrial keyboard                      (W x H x D) 115 x 115 x 29 mm                      4x3 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      1 x comm, 1 pin for each key                      switching power 30 V/ 10 mA                      protection class IP 6 5 front side                      data sheet DNR 4085</p>	 <p>A photograph of a white, square industrial keyboard with a 4x3 grid of keys. The keys are labeled 7, 8, 9, 4, 5, 6, 1, 2, 3, D, Ø, E. The keyboard is mounted on a white square plate and is shown outdoors on a wooden stump with grass in the background. The R&amp;R logo is visible in the bottom right corner of the plate.</p>
149	<p><b>IK4x3</b></p> <p>R&amp;R industrial keyboard                      (W x H x D) 115 x 115 x 29 mm                      4x3 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      matrix interface                      switching power 30 V/ 10 mA                      protection class IP 6 5 front side                      data sheet DNR 4085</p>	 <p>A photograph of a white, square industrial keyboard with a 4x3 grid of keys. The keys are labeled 7, 8, 9, 4, 5, 6, 1, 2, 3, D, Ø, E. The keyboard is mounted on a white square plate and is shown outdoors on a wooden stump with grass in the background. The R&amp;R logo is visible in the bottom right corner of the plate.</p>
91	<p><b>IK4x4 Matrix</b></p> <p>R&amp;R industrial keyboard                      (W x H x D) 77.2 x 77.2 x 30 mm                      16 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      matrix interface                      switching power 30 V/ 10 mA                      protection class IP 6 5 front side                      data sheet DNR 3480</p>	 <p>A photograph of a black, square industrial keyboard with a 4x4 grid of keys. The keys are labeled 7, 8, 9, 4, 5, 6, 1, 2, 3, DEL, Ø, ENTER. The keyboard is shown against a blue background.</p>
71	<p><b>IK4x4 SPS</b></p> <p>R&amp;R industrial keyboard                      (W x H x D) 115 x 115 x 29 mm                      16 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      every key laid out individually                      switching power 30 V/ 10 mA                      protection class IP 6 5 front side                      data sheet DNR 5960</p>	 <p>A photograph of a white, square industrial keyboard with a 4x4 grid of keys. The keys are labeled 7, 8, 9, ↑, 4, 5, 6, ↓, 1, 2, 3, →, DEL, Ø, ENTER, ←. The keyboard is mounted on a white square plate and is shown against a blue background. The R&amp;R logo is visible in the bottom right corner of the plate.</p>





**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
148	<p>IK4x4-1</p> <p>R&amp;R industrial keyboard                      (W x H x D) 115 x 115 x 29 mm                      16 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      matrix interface                      2-row, 8-pin plug                      switching power 30 V/ 10 mA                      protection class IP 6 5 front side                      data sheet DNR 4051</p>	
522	<p>IK4x4-TTL</p> <p>R&amp;R industrial keyboard                      (W x H x D) 114.2 x 95.8 x 33 mm                      16 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      TTL interface                      8-bit microcontroller                      2-row, 20-pin plug                      switching power 30 V/ 10 mA                      protection class IP 6 5 front side                      data sheet DNR 7001</p>	
427	<p>IK5x5 Matrix</p> <p>R&amp;R industrial keyboard                      (W x H x D) 114.2 x 114.2 x 30 mm                      matrix interface                      5 x 5 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      2-row, 10-pin plug                      protection class IP 6 5 front side                      data sheet DNR 6553</p>	
65	<p>IK6x6 Matrix</p> <p>R&amp;R industrial keyboard                      (W x H x D) 127 x 137 x 30 mm                      matrix interface                      6 x 6 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      2-row, 34-pin plug                      protection class IP 6 5 front side                      data sheet DNR 4082</p>	





**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
898	<p>IK6x6-V5 Matrix</p> <p>R&amp;R industrial keyboard                      (W x H x D) 160 x 160 x 25 mm                      matrix interface                      6 x 6 R&amp;R metal keys                      inscription engraved                      lift 3 mm, actuation force 1 N                      2-row, 34-pin plug                      protection class IP 6 5 front side                      data sheet DNR 9182</p>	
678	<p>IK8000 8 bit parallel with strobe</p> <p>R&amp;R Industrial -keyboard                      mount module                      Al and PE black                      (H x W x D) 166 x 91,2 x 45 mm                      2 x 12 patented R&amp;R-keys                      lift 3 mm                      actuation force 1 N                      0° C to + 50° C                      protection class IP 6 5 front side                      data sheet DNR 7747</p>	
676	<p>IK8000 AT</p> <p>R&amp;R Industrial -keyboard                      mount module                      Al and PE black                      (H x W x D) 166 x 91,2 x 45 mm                      2 x 12 patented R&amp;R-keys                      lift 3 mm                      actuation force 1 N                      0° C to + 50° C                      protection class IP 6 5 front side                      data sheet DNR 7747</p>	
48	<p>IK802-1 20 mA / RS232C</p> <p>R&amp;R industrial keyboard                      V2A mountable case                      (W x H x D) 500 x 250 x 50 mm                      max. 128 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      layout custom design                      protection class IP 6 5 all around                      data sheet DNR 2639</p>	





**R&R Industrial Keyboards**  
**August 2005**  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
49	<p>IK802-2 20 mA / RS232C</p> <p>R&amp;R industrial keyboard                      V2A mountable case                      (W x H x D) 330 x 250 x 50 mm                      max. 88 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      layout custom design                      protection class IP 6 5 all around                      data sheet DNR 2640</p>	
50	<p>IK802-3 20 mA / RS232C</p> <p>R&amp;R industrial keyboard                      V2A suit case                      (W x H x D) 500 x 315 x 65 mm                      max. 128 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      layout custom design                      protection class IP 6 5                      data sheet DNR 2641</p>	
51	<p>IK802-4 20 mA / RS232C</p> <p>R&amp;R industrial keyboard                      V2A suit case                      (W x H x D) 370 x 315 x 65 mm                      max. 88 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      layout custom design                      protection class IP 6 5 all around                      data sheet DNR 2642</p>	
1026	<p>IK804-10 AT</p> <p>R&amp;R industrial keyboard                      suit case, Al sand cast lacquered                      front panel aluminium anodized                      (W x H x D) 300 x 184 x 39 (50) mm                      16 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      weight 2.6 kg                      protection class IP 6 5 all around                      data sheet DNR 9767</p>	

**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de





Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
76	<p><b>IK804-12 AT / RS232C</b></p> <p>R&amp;R industrial keyboard with joystick                      suit case, Al sand cast lacquered                      front panel aluminium electrolytic-oxidated                      (W x H x D) 300 x 184 x 30 (50) mm                      24 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      layout custom design                      protection class IP 6 5 all around                      data sheet DNR 5912</p>	
406	<p><b>IK804-13 AT -40°C to +80°C</b></p> <p>R&amp;R industrial keyboard                      suit case, Al sand cast lacquered                      front panel aluminium electrolytic-oxidated                      (W x H x D) 300 x 184 x 30 (50) mm                      18 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      weight 2.6 kg                      protection class IP 6 5 all around                      data sheet DNR 6303</p>	
405	<p><b>IK804-13 AT</b></p> <p>R&amp;R industrial keyboard                      suit case, Al sand cast lacquered                      front panel aluminium electrolytic-oxidated                      (W x H x D) 300 x 184 x 30 (50) mm                      18 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      weight 2.6 kg                      protection class IP 6 5 all around                      data sheet DNR 6303</p>	
996	<p><b>IK804-15 AT</b></p> <p>R&amp;R industrial keyboard                      suit case, Al sand cast lacquered                      front panel aluminium anodized                      (W x H x D) 300 x 184 x 39 (50) mm                      26 patented R&amp;R keys                      lift 3 mm, actuation force 3 N                      weight 2.6 kg                      protection class IP 6 5 all around                      data sheet DNR 9624</p>	



**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
997	<p>IK804-16 AT</p> <p>R&amp;R industrial keyboard                      case aluminium anodized                      (W x H x D) 300 x 184 x 39 (50) mm                      26 patented R&amp;R keys                      lift 3 mm, actuation force 3 N                      weight 2.6 kg                      protection class IP 6 5 all around</p> <p>data sheet DNR 9625</p>	
128	<p>IK804-2 RS232C/ 20 mA</p> <p>R&amp;R industrial keyboard                      suit case, Al sand cast lacquered                      front panel aluminium anodized                      (W x H x D) 300 x 184 x 30 (50) mm                      19 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      weight 2.6 kg                      protection class IP 6 5 all around</p> <p>data sheet DNR 3445</p>	
74	<p>IK804-7 RS423 DEC VT420 -30°C to +80°C</p> <p>R&amp;R industrial keyboard                      suit case, Al sand cast lacquered                      front panel aluminium anodized                      (W x H x D) 300 x 184 x 30 (50) mm                      16 (max. 48) patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      weight 2.6 kg                      protection class IP 6 5 all around</p> <p>data sheet DNR 4094</p>	
439	<p>IK804-7 RS423 DEC VT420 0°C to +50°C</p> <p>R&amp;R industrial keyboard                      suit case, Al sand cast lacquered                      front panel aluminium anodized                      (W x H x D) 300 x 184 x 30 (50) mm                      16 (max. 48) patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      weight 2.6 kg                      protection class IP 6 5 all around</p> <p>data sheet DNR 4094</p>	





**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
75	<p><b>IK804-8 AT</b></p> <p>R&amp;R industrial keyboard                      suit case, Al sand cast lacquered                      front panel aluminium anodized                      (W x H x D) 300 x 184 x 39 (50) mm                      39 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      weight 2.6 kg                      protection class IP 6 5 all around</p> <p>data sheet DNR 4095</p>	
431	<p><b>IK804-9 AT mountable module</b></p> <p>R&amp;R industrial keyboard                      hole plate Al anodized                      (W x H x D) 274 x 158.3 x 43 mm                      91 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      protection class IP 6 5 all around</p> <p>data sheet DNR 6578</p>	
430	<p><b>IK804-9 AT</b></p> <p>R&amp;R industrial keyboard                      desktop case, Al sand cast lacquered                      front panel aluminium anodized                      (W x H x D) 300 x 184 x 30 (50) mm                      91 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      weight 2.6 kg                      protection class IP 6 5 all around</p> <p>data sheet DNR 5907</p>	
32	<p><b>IK808 AT</b></p> <p>R&amp;R industrial keyboard                      mountable case                      front panel aluminium anodized                      (W x H x D) 166 x 147 x 25 mm                      24 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      layout custom design                      0°C to +50°C                      protection class IP 6 5 all around</p> <p>data sheet DNR 4800</p>	

**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
211	<p>IK808-2 AT</p> <p>R&amp;R industrial keyboard                      desktop                      front panel aluminium electrolytic-oxidated                      (W x H x D) 166 x 147 x 25 mm                      12 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      8-bit microcontroller                      keyboard switch                      2 x 3 m cable                      0°C to +50°C                      protection class IP 6 5 all around                      data sheet DNR 6241</p>	
410	<p>IK808-3 AT</p> <p>R&amp;R industrial keyboard                      mountable case                      Al and PE black                      (W x H x D) 135.2 x 147 x 25 mm                      18 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      0°C to +50°C                      protection class IP 6 5 front side                      data sheet DNR 6381</p>	
558	<p>IK808-4 AT 1.2mm/1.5N</p> <p>R&amp;R Industrial -keyboard                      mount module                      Al and PE black                      (H x W x D) 135.2 x 147 x 25 mm                      23 patented R&amp;R-keys                      lift 1.2 mm                      actuation force 1.5 N                      0° C to + 50° C                      protection class IP 6 5 front side                      data sheet DNR 7140</p>	
806	<p>IK808-4 AT 3mm/1N panel modul</p> <p>R&amp;R Industrial -keyboard                      mountable module                      Al                      (H x W x D) 135.2 x 147 x 25 mm                      23 patented R&amp;R-keys                      lift 3 mm                      actuation force 1 N                      0° C to + 50° C                      protection class IP 6 5 front side                      data sheet DNR 7140</p>	





**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
557	IK808-4 AT 3mm/1N  R&R Industrial -keyboard Mount module Al and PE black (H x W x D)135.2 x 147 x 25 mm 23 patented R&R-keys lift 3 mm actuation force 1 N 0° C to + 50° C protection class IP 6 5 front side data sheet DNR 7140	
559	IK808-4 AT3mm/3N  R&R Industrial -keyboard mount module Al and PE black (H x W x D)135.2 x 147 x 25 mm 23 patented R&R-keys lift 3 mm actuation force 3 N 0° C to + 50° C protection class IP 6 5 front side data sheet DNR 7140	
664	IK808-5 AT 3mm/1N  R&R Industrial desktop-keyboard Al and PE black (H x W x D)135.2 x 147 x 37 mm 23 patented R&R-keys lift 3 mm actuation force 1 N 0° C to + 50° C protection class IP 6 5 data sheet DNR 7683	
717	IK808-5 AT 3mm/1N  R&R Industrial desktop-keyboard Al and PE black (H x W x D)135.2 x 147 x 37 mm 23 patented R&R-keys lift 3 mm actuation force 1 N 0° C to + 50° C protection class IP 6 5 data sheet DNR 7683	





**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de





Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
775	IK808-6 PS2 3mm/1N  R&R Industrial desktop-keyboard case Al anodized and PE black (H x W x D) 135.2 x 147 x 37 mm 23 patented R&R-keys lift 3 mm actuation force 1 N 0° C to + 50° C protection class IP 6 5 data sheet DNR 8212	
883	IK808-7 AT 3mm/1N  R&R Industrial keyboard Al and PE black (H x W x D) 116.2 x 135.2 x 37 mm 26 patented R&R-keys lift 3 mm actuation force 1 N 0° C to + 50° C protection class IP 6 5 data sheet DNR 9113	
1291	IK808-8 PS2/PS2  R&R industrial keyboard mountable case front panel aluminium anodized (W x H x D) 166 x 147 x 25 mm 24 patented R&R keys lift 3 mm, actuation force 1 N layout custom design 0°C to +50°C touchpad with PS/2 Interface protection class IP 6 5 all around data sheet DNR 10572	
1442	IK808-9 PS2 3mm/1N  R&R Industrial desktop-keyboard case Aluminium anodized (H x W x D) 140 x 140 x 39 mm 23 patented R&R-keys lift 3 mm actuation force 1 N 0° C to + 50° C protection class IP 6 5 5 m cable data sheet DNR 11233	

**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de





Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
1821	<p>IK808LT4-1 RS232C</p> <p>R&amp;R industrial keyboard                      housing aluminium anodized                      (W x H x D) 145 x 160 x 35 mm                      24 patented R&amp;R keys                      lift 1.2 mm, actuation force 1.5 N                      vandal proof metal keycaps V5                      0°C to +50°C                      protection class IP 6 5                      data sheet DNR 13430</p>	
677	<p>IK81 8 bit parallel with strobe</p> <p>R&amp;R Industrial -keyboard                      mount module                      Al and PE black                      (H x W x D) 200,5 x 72,1 x 45 mm                      2 x 12 patented R&amp;R-keys                      lift 3 mm                      actuation force 1 N                      0° C to + 50° C                      protection class IP 6 5 front side                      data sheet DNR 7748</p>	
675	<p>IK81 AT</p> <p>R&amp;R Industrial -keyboard                      mount module                      Al and PE black                      (H x W x D) 200,5 x 72,1 x 45 mm                      2 x 12 patented R&amp;R-keys                      lift 3 mm                      actuation force 1 N                      0° C to + 50° C                      protection class IP 6 5 front side                      data sheet DNR 7748</p>	
1663	<p>IK81 8 bit parallel with strobe</p> <p>R&amp;R Industrial -keyboard                      mount module                      Al and PE black                      (H x W x D) 2010,5 x 72,1 x 45 mm                      2 x 12 patented R&amp;R-keys                      lift 3 mm                      actuation force 1 N                      0° C to + 50° C                      protection class IP 6 5 front side                      data sheet DNR 7748</p>	

Art.-Nr	Bezeichnung	Bild
79	<p><b>IK810 AT</b></p> <p>R&amp;R industrial keyboard                      mountable case, Al anodized                      (W x H x D) 180 x 180 x 30 mm                      n-key rollover                      watchdog                      max. 7 x 5 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      layout custom design                      protection class IP 6 5 all around                      data sheet DNR 5908</p>	
653	<p><b>IK810-1 AT</b></p> <p>R&amp;R industrial keyboard                      desktop case, front plate Al anodized                      (W x H x D) 158,4 x 154,8 x 40 mm                      n-key rollover watchdog                      max. 7 x 5 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      layout custom design                      protection class IP 6 5 all around                      data sheet DNR 7623</p>	
654	<p><b>IK810-2 AT</b></p> <p>R&amp;R industrial keyboard                      desktop case, front plate Al anodized                      (W x H x D) 158,4 x 154,8 x 40 mm                      n-key rollover watchdog                      with keyboard switch                      max. 7 x 5 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      layout custom design                      protection class IP 6 5 all around                      data sheet DNR 7625</p>	
249	<p><b>IK810-F AT</b></p> <p>R&amp;R industrial keyboard                      mountable case, Al electrolytic-oxidated                      (W x H x D) 180 x 180 x 30 mm                      n-key rollover                      watchdog                      max. 7 x 5 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      layout custom design                      protection class IP 6 5 front side                      data sheet DNR 5908</p>	

**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de




Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
1822	<p>IK810LT4-1 RS232C</p> <p>R&amp;R industrial keyboard                      housing aluminium anodized                      (W x H x D) 160x 190x35 mm                      35 patented R&amp;R keys                      lift 1.2 mm, actuation force 1.5 N                      plastic key cap LT4                      0°C to +50°C                      protection class IP 6 5                      data sheet DNR 13444</p>	
166	<p>IK811</p> <p>R&amp;R industrial keyboard                      mountable case                      front panel Al electrolytic-oxidated                      (W x H x D) 166 x 128 x 26 mm                      4 x 6 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      lifetime &gt; 3 million cycles                      front side IP 6 5                      10-pin Molex socket                      binary coded + strobe / 24 V                      data sheet DNR 6063</p>	
486	<p>IK813</p> <p>R&amp;R industrial keyboard                      mountable case                      front panel Al electrolytic-oxidated                      (W x H x D) 204.1 x 128 x 26 mm                      4 x 8 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      lifetime &gt; 3 million cycles                      front side IP 6 5                      10-pin Molex socket                      binary coded + strobe / 24 V                      data sheet DNR 6900</p>	
663	<p>IK814</p> <p>R&amp;R industrial keyboard                      mountable case                      front panel Al electrolytic-oxidated                      (W x H x D) 204.1 x 166,1 x 26 mm                      6 x 8 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      lifetime &gt; 3 million cycles                      front side IP 6 5                      10-pin Molex socket                      binary coded + keydown signal                      data sheet DNR 7654</p>	







**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
669	<p><b>IK815</b></p> <p>R&amp;R industrial keyboard                      mountable case                      front panel Al electrolytic-oxidated                      (W x H x D) 166 x 223,25 x 26 mm                      8 x 6 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      lifetime &gt; 3 million cycles                      front side IP 6 5                      2 interfaces with 10-pin Molex socket                      binary coded + strobe / 24 V                      data sheet DNR 7700</p>	
121	<p><b>IKFR1</b></p> <p>R&amp;R industrial keyboard AT                      19" / 4 HE mounting case                      front panel aluminium electrolytic-oxidated                      (W x H x D) 482 x 177 x 40 mm                      93 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      3 m cable                      weight 3.4 kg                      protection class IP 6 5 all round                      data sheet DNR 3038</p>	
180	<p><b>IKFTL10</b></p> <p>R&amp;R industrial keyboard                      (W x H x D) appr. 33 x 213.2 x 30 mm                      10 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      matrix interface                      protection class IP 6 5 front side                      data sheet DNR 6116</p>	
150	<p><b>IKFTL12</b></p> <p>R&amp;R industrial keyboard                      (W x H x D) appr. 33 x 151.6 x 30 mm                      12 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      matrix interface                      load up to 30V / 10 mA                      weight appr. 215 g                      protection class IP 6 5 front side                      data sheet DNR 4083</p>	





**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
151	<p><b>IKFTL16</b></p> <p>R&amp;R industrial keyboard                      sealing frame PE black                      (W x H x D) appr. 33 x 328 x 30 mm                      16 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      matrix interface                      2-row 20-pin socket                      weight appr. 230 g                      protection class IP 6 5 front side                      data sheet DNR 4084</p>	
584	<p><b>IKFTL3</b></p> <p>R&amp;R industrial keyboard                      (W x H x D) appr. 92,3 x 34 x 30 mm                      3 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      matrix interface                      protection class IP 6 5 front side                      data sheet DNR 7366</p>	
585	<p><b>IKFTL7V</b></p> <p>R&amp;R industrial keyboard                      (W x H x D) appr. 40 x 205 x 30 mm                      7 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      matrix interface                      protection class IP 6 5 front side                      data sheet DNR 6766</p>	
119	<p><b>IKIBM-1HE</b></p> <p>R&amp;R industrial keyboard                      19"-1HE rack mount                      drawer appr. 11° tiltable                      front panel Al elox                      (W x H x D) 483 x 44 x 380 mm                      MF2-layout 93 keys                      lift 3 mm, actuation force 1 N                      AT compatible                      watchdog                      protection class IP 6 5 all around                      data sheet DNR 3033</p>	

**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
175	<p>IKIBM-MF2 AT -30°C to +80°C</p> <p>R&amp;R industrial keyboard                      AL sand cast lacquered                      front panel Al elox                      (W x H x D) 505 x 250 x 35(52) mm                      MF2-layout 102 keys                      lift 3 mm, actuation force 1 N                      AT compatible                      watchdog                      weight appr. 5.7 kg                      protection class IP 6 5 all around                      data sheet DNR 3033</p>	
88	<p>IKIBM-MF2 AT</p> <p>R&amp;R industrial keyboard                      AL sand cast lacquered                      front panel Al elox                      (W x H x D) 505 x 250 x 35(52) mm                      MF2-layout 102 keys                      lift 3 mm, actuation force 1 N                      AT compatible                      watchdog                      weight appr. 5.7 kg                      protection class IP 6 5 all around                      data sheet DNR 3033</p>	
118	<p>IKIBM1 AT</p> <p>R&amp;R industrial keyboard                      AL sand cast lacquered                      cover Al elox                      (W x H x D) 440 x 250 x 35(45) mm                      93 patented R&amp;R keys                      incl. 16 function keys                      lift 3 mm, actuation force 1 N                      watchdog                      protection class IP 6 5 all around                      data sheet DNR 2998</p>	
63	<p>IKMF2-E AT</p> <p>R&amp;R industrial mounting keyboard                      front panel AL elox                      (W x H x D) 500 x 200 x 26 mm                      102 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      3 m cable                      protection class IP 65 all around                      data sheet DNR 3032</p>	

**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
80	<p><b>IKMF2-EF AT</b></p> <p>R&amp;R mounting keyboard                      custom design                      front panel Al elox                      (W x H x D) 500 x 200 x 26 mm                      102 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      cable 3 m                      protection class IP 6 5 front side                      rear side open                      data sheet DNR 5773</p>	
84	<p><b>IKMF2-EFJ AT and RS232C</b></p> <p>R&amp;R-Industrial Mountable keyboard with                      integrated joystick                      patented sensing                      front plate Al elox                      (W x H x D) 560 x 200 x 30 mm                      105 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      front side protection class IP 6 5                      rear side open                      data sheet DNR 5933</p>	
83	<p><b>IKMF2-EFT AT/RS232C</b></p> <p>R&amp;R Industrial mounting keyboard                      with integrated tracking ball                      front plate Al elox                      (W x H x D) 560 x 200 x 30 mm                      105 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      front side IP 5 4                      rear side open                      data sheet DNR 5932</p>	
546	<p><b>IKMF2-EJ AT/RS232C polished</b></p> <p>R&amp;R Industrial Mountable keyboard                      joystick with patented                      capacitive sensing                      front plate aluminium electrolytically polished                      (W x H x D) 560 x 200 x 30 mm                      105 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 5952</p>	





**R&R Industrial Keyboards**  
**August 2005**  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
89	<p>IKMF2-EJ AT/RS232C</p> <p>R&amp;R Industrial Mountable keyboard            joystick with patented            capacitive sensing            front plate Al elox            (W x H x D) 560 x 200 x 30 mm            105 patented R&amp;R-keys            lift 3 mm, actuation force 1 N            watchdog, cable 3 m            protection class IP 6 5 all around            data sheet DNR 5952</p>	
700	<p>IKMF2-EJ PS2/PS2 polished hebrew</p> <p>R&amp;R Industrial Mountable keyboard            joystick with patented            capacitive sensing            front plate aluminium electrolytically polished            (W x H x D) 560 x 200 x 30 mm            105 patented R&amp;R-keys            lift 3 mm, actuation force 1 N            watchdog, cable 3 m            protection class IP 6 5 all around            data sheet DNR 5952</p>	
545	<p>IKMF2-EJ PS2/PS2 polished</p> <p>R&amp;R Industrial Mountable keyboard            joystick with patented            capacitive sensing            front plate aluminium electrolytically polished            (W x H x D) 560 x 200 x 30 mm            105 patented R&amp;R-keys            lift 3 mm, actuation force 1 N            watchdog, cable 3 m            protection class IP 6 5 all around            data sheet DNR 5952</p>	
459	<p>IKMF2-EJ PS2/PS2</p> <p>R&amp;R Industrial Mountable keyboard            joystick with patented            capacitive sensing            front plate Al elox            (W x H x D) 560 x 200 x 30 mm            105 patented R&amp;R-keys            lift 3 mm, actuation force 1 N            watchdog, cable 3 m            protection class IP 6 5 all around            data sheet DNR 5952</p>	





**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
586	<p><b>IKMF2-EL AT German</b></p> <p>R&amp;R industrial mounting keyboard                      (W x H x D) 470 x 170 x 33 mm                      102 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      3 m cable                      protection class IP 65 front panel                      data sheet DNR 7378</p>	
587	<p><b>IKMF2-EL AT USASCII</b></p> <p>R&amp;R industrial mounting keyboard                      (W x H x D) 470 x 170 x 33 mm                      102 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      3 m cable                      protection class IP 65 front panel                      data sheet DNR 7378</p>	
568	<p><b>IKMF2-ET2 AT/RS232C</b></p> <p>R&amp;R Industrial mounting keyboard                      with integrated tracking ball                      front plate Al elox                      (W x H x D) 600 x 200 x 40 mm                      105 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      keyboard IP65                      Trackingball protected against humidity                      data sheet DNR 7210</p>	
637	<p><b>IKMF2-J AT/RS232C</b></p> <p>R&amp;R Industrial desktop keyboard                      joystick with patented                      capacitive sensing                      front plate Al elox                      (W x H x D) 536 x 172 x 30 mm                      105 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 7584</p>	





**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
638	<p><b>IKMF2-J PS2/PS2</b></p> <p>R&amp;R Industrial desktop keyboard                      joystick with patented                      capacitive sensing                      front plate Al elox                      (W x H x D) 536 x 172 x 30 mm                      105 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 7584</p>	
832	<p><b>IKMF2ES polished</b></p> <p>R&amp;R Industrial desktop keyboard                      touch pad                      front plate Al anodised                      (W x H x D) 560 x 200 x 34 mm                      105 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      interface AT/RS232C                      option: Adapter plugs for PS2/PS2                      data sheet DNR 8783</p>	
873	<p><b>IKMF2ES</b></p> <p>R&amp;R Industrial desktop keyboard                      touch pad                      front plate Al anodised                      (W x H x D) 560 x 200 x 34 mm                      105 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      interface AT/ RS232C and PS/2                      data sheet DNR 8783</p>	
15	<p><b>IKMF2S AT -30° C to +80° C German</b></p> <p>R&amp;R Industrial keyboard                      desktop case, Al sand cast lacquered                      (W x H x D) 391 x 155 x 30 mm                      102 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      cable 3 m                      protection class IP 6 5 all around                      weight 1,8 kg                      data sheet DNR 4324</p>	

**R&R Industrial Keyboards**  
**August 2005**  
 www.RuRgmbH.de info@RuRgmbH.de





Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
14	<p>IKMF2-S AT 0° C to +50° C German</p> <p>R&amp;R Industrial keyboard            desktop case, Al sand cast lacquered            (W x H x D) 391 x 155 x 30 mm            102 patented R&amp;R-keys            lift 3 mm, actuation force 1 N            wachtdog, cable 3 m            protection class IP 6 5 all around            weight1,8 kg            data sheet DNR 4324;</p>	
547	<p>IKMF2S AT 0° C to +50° C USASCII</p> <p>R&amp;R Industrial keyboard            desktop case, Al sand cast lacquered            (W x H x D) 391 x 155 x 30 mm            102 patented R&amp;R-keys            lift 3 mm, actuation force 1 N            wachtdog, cable 3 m            protection class IP 6 5 all around            weight1,8 kg            data sheet DNR 4324</p>	
1639	<p>IKMF2-S PS/2 0° C to +50° C french</p> <p>R&amp;R Industrial keyboard            desktop case, Al sand cast lacquered            (W x H x D) 391 x 155 x 30 mm            102 patented R&amp;R-keys            lift 3 mm, actuation force 1 N            wachtdog, cable 3 m            protection class IP 6 5 all around            weight1,8 kg            data sheet DNR 4324</p>	
1443	<p>IKMF2-S PS/2 0° C to +50° C German</p> <p>R&amp;R Industrial keyboard            desktop case, Al sand cast lacquered            (W x H x D) 391 x 155 x 30 mm            102 patented R&amp;R-keys            lift 3 mm, actuation force 1 N            wachtdog, cable 3 m            protection class IP 6 5 all around            weight1,8 kg            data sheet DNR 4324</p>	




**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
744	<p><b>IKMF2S-1HE PS2</b></p> <p>R&amp;R industrial keyboard                      19"-1HE rack mount                      drawer appr.11° tiltable                      front panel Al anodized                      (W x H x D) 483 x 44 x 310 mm                      MF2-layout 102 keys                      lift 3 mm, actuation force 1 N                      AT compatible                      watchdog                      protection class IP 6 5 all around                      data sheet DNR 7651</p>	
882	<p><b>IKMF2S-2 PS2 0° C to +50° C german</b></p> <p>R&amp;R Industrial keyboard                      front plate Al anodized                      (W x H x D) 420 x 164 x 33 mm                      watchdog                      102 patented R&amp;R-keys                      lift 3 mm                      actuation force 1 N                      3 m cable                      protection class IP 6 5 all around                      data sheet DNR 9085</p>	
884	<p><b>IKMF2S-2HE PS2</b></p> <p>R&amp;R industrial keyboard                      19"-1HE rack mount                      drawer appr.11° tiltable                      front panel Al anodized                      (W x H x D) 483 x 88 x 310 mm                      MF2-layout 102 keys                      lift 3 mm, actuation force 1 N                      AT compatible                      watchdog                      protection class IP 6 5 all around                      data sheet DNR 9128</p>	
887	<p><b>IKMF2S-2HE PS2 German</b></p> <p>R&amp;R industrial keyboard                      19"-2HE rack mount                      drawer appr.11° tiltable                      front panel Al anodized                      (W x H x D) 483 x 88 x 310 mm                      MF2-layout 102 keys                      lift 3 mm, actuation force 1 N                      AT compatible                      watchdog                      protection class IP 6 5 all around                      key-system integrated                      data sheet DNR 7651</p>	

**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
926	<p><b>IKMF2S-2HE PS2 French</b></p> <p>R&amp;R industrial keyboard                      19"-2HE rack mount                      drawer appr.11° tiltable                      front panel Al anodized                      (W x H x D) 483 x 88 x 310 mm                      MF2-layout 102 keys                      lift 3 mm, actuation force 1 N                      AT compatible                      watchdog                      protection class IP 6 5 all around                      key-system integrated                      data sheet DNR 9128</p>	
1180	<p><b>IKMF2S-4 PS2/PS2 RS232C</b></p> <p>R&amp;R Industrial desktop keyboard                      touch pad                      front plate Al anodised                      (W x H x D) 400 x 234 x 30 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      mousepad                      data sheet DNR 10215</p>	
827	<p><b>IKMF2S-4HE AT 0° C to +50° C</b></p> <p>R&amp;R Industrial keyboard                      front plate Al anodized                      (W x H x D) 483 x 177 x 26 mm                      watchdog                      102 patented R&amp;R-keys                      lift 3 mm                      actuation force 1 N                      3 m cable                      protection class IP 6 5 all around                      data sheet DNR 6068</p>	
164	<p><b>IKMF2S-4HE AT 0° C to +50° C</b></p> <p>R&amp;R Industrial keyboard                      front plate Al anodized                      (W x H x D) 483 x 177 x 26 mm                      watchdog                      102 patented R&amp;R-keys                      lift 3 mm                      actuation force 1 N                      3 m cable                      protection class IP 6 5 all around                      data sheet DNR 6068</p>	





**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
1464	<p>IKMF2S-4HE PS/2 0° C to +60° C</p> <p>R&amp;R Industrial keyboard                      front plate Al anodized                      (W x H x D) 483 x 177 x 26 mm                      watchdog                      102 patented R&amp;R-keys                      lift 3 mm                      actuation force 1 N                      3 m cable                      protection class IP 6 5 all around                      data sheet DNR 6068</p>	
1448	<p>IKMF2S-5 PS2/PS2 RS232C</p> <p>R&amp;R Industrial desktop keyboard                      touch pad                      front plate Al anodized                      (W x H x D) 470 x 170 x 32 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      mousepad                      data sheet DNR 10215</p>	
778	<p>IKMF2S-E2 AT 0° C to +50° C</p> <p>R&amp;R Industrial keyboard                      front plate Al anodized                      (W x H x D) 530 x 185 x 26 mm                      watchdog                      102 patented R&amp;R-keys                      lift 3 mm                      actuation force 1 N                      3 m cable                      protection class IP 6 5 all around                      data sheet DNR 8259</p>	
787	<p>IKMF2S-E2 PS2 0° C to +50° C</p> <p>R&amp;R Industrial keyboard                      front plate Al anodized                      (W x H x D) 530 x 185 x 26 mm                      watchdog                      102 patented R&amp;R-keys                      lift 3 mm                      actuation force 1 N                      3 m cable                      protection class IP 6 5 all around                      data sheet DNR 8259</p>	


**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
1432	<p><b>IKMF2S-I</b></p> <p>R&amp;R Industrial desktop keyboard with infrared interface                      housing aluminium anodized (W x H x D) 481 x 170 x 45 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      keyboard IP65                      data sheet DNR 11156</p>	
1372	<p><b>IKMF2S-S1HE-S PS2 with lock</b></p> <p>R&amp;R industrial keyboard                      19"-1HE rack mount                      drawer appr.11° tiltable                      front panel Al anodized (W x H x D) 483 x 44 x 310 mm                      MF2-layout 102 keys                      lift 3 mm, actuation force 1 N                      AT compatible                      watchdog                      protection class IP 6 5 all around                      data sheet DNR 7651</p>	
1338	<p><b>IKMF2S-S-1HE PS2</b></p> <p>R&amp;R industrial keyboard                      19"-1HE rack mount                      drawer appr.11° tiltable                      front panel Al anodized (W x H x D) 483 x 44 x 310 mm                      MF2-layout 102 keys                      lift 3 mm, actuation force 1 N                      AT compatible                      watchdog                      protection class IP 6 5 all around                      data sheet DNR 7651</p>	
1370	<p><b>IKMF2S-S-1HE-S PS2 with lock</b></p> <p>R&amp;R industrial keyboard                      19"-1HE rack mount                      drawer appr.11° tiltable                      front panel Al anodized (W x H x D) 483 x 44 x 310 mm                      MF2-layout 102 keys                      lift 3 mm, actuation force 1 N                      AT compatible                      watchdog                      protection class IP 6 5 all around                      data sheet DNR 7651</p>	





**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
196	<p>IKMF2SEJ AT / PS2 oil proofed</p> <p>R&amp;R Industrial keyboard                      joystick with patented                      capacitive sensing                      front plate Al elox                      (W x H x D) 472 x 164 x 30 mm                      105 patented R&amp;R-keys                      sealed silicon switching pad DNR 3374                      lift 3 mm, actuation force 1 N                      lifetime &gt; 3 million cycles                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 6077</p>	
172	<p>IKMF2SEJ AT / RS232C</p> <p>R&amp;R Industrial keyboard                      joystick with patented                      capacitive sensing                      front plate Al elox                      (W x H x D) 472 x 164 x 30 mm                      105 patented R&amp;R-keys                      silicon switching pad DNR 3374                      lift 3 mm, actuation force 1 N                      lifetime &gt; 3 million cycles                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 6077</p>	
795	<p>IKMF2SET PS2/PS2</p> <p>R&amp;R Industrial mounting keyboard                      with integrated tracking ball                      front plate Al anodized                      (W x H x D) 514 x 185 x 39,5 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      keyboard IP65                      Trackingball IP54                      ball diameter 2"                      data sheet DNR 8448</p>	
1294	<p>IKMF2SET2 PS2/PS2</p> <p>R&amp;R Industrial mounting keyboard                      with integrated tracking ball                      front plate Al anodized                      (W x H x D) 500 x 185 x 39,5 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      keyboard IP65                      Trackingball IP54                      ball diameter 38 mm                      data sheet DNR 10575</p>	

**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
1734	<p><b>IKMF2SET2-V5 PS2/PS2</b></p> <p>R&amp;R Industrial mounting keyboard with integrated tracking ball front plate Al anodized (W x H x D) 500 x 185 x 39,5 mm 108 patented R&amp;R-keys lift 3 mm, actuation force 1 N watchdog, cable 3 m keyboard IP65 Trackingball IP54 ball diameter 38 mm data sheet DNR 12790</p>	
1028	<p><b>IKMF2ST-2HE PS2</b></p> <p>R&amp;R industrial drawer keyboard 19"-1HE rack mount drawer appr.11° tiltable front panel Al anodized (W x H x D) 483 x 88 x 400 mm MF2-layout 102 keys lift 3 mm, actuation force 1 N AT compatible watchdog protection class IP 6 5 all around trackball 38 mm actuation force 0.5 N PS/2 interface data sheet DNR 9770</p>	
879	<p><b>IKMF2ST2 PS2/PS2</b></p> <p>R&amp;R Industrial desktop keyboard with integrated tracking ball front plate Al anodized (W x H x D) 467 x 170 x 45 mm 108 patented R&amp;R-keys lift 3 mm, actuation force 1 N watchdog, cable 3 m keyboard IP65 Trackingball IP54 ball diameter 38 mm data sheet DNR 8967</p>	
1390	<p><b>IKMF2ST2 V5 PS2/PS2</b></p> <p>R&amp;R Industrial desktop keyboard with integrated tracking ball front plate Al anodized (W x H x D) 467 x 170 x 45 mm 108 patented R&amp;R-keys lift 3 mm, actuation force 1 N watchdog, cable 3 m keyboard IP65 Trackingball IP65 ball diameter 38 mm data sheet DNR 10921</p>	




**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
880	<p><b>IKMF2ST3 PS2/PS2</b></p> <p>R&amp;R Industrial desktop keyboard with integrated tracking ball front plate Al anodized (W x H x D) 404 x 234 x 45 mm 105 patented R&amp;R-keys lift 3 mm, actuation force 1 N watchdog, cable 3 m keyboard IP65 Trackingball IP54 ball diameter 38 mm data sheet DNR 9009</p>	
1692	<p><b>IKMF2STV5-2HE PS2</b></p> <p>R&amp;R industrial drawer keyboard 19"-1HE rack mount drawer appr.11° tiltable front panel Al anodized (W x H x D) 483 x 88 x 400 mm MF2-layout 102 keys lift 3 mm, actuation force 1 N PS/2 compatible watchdog protection class IP 6 5 all around trackball 38 mm actuation force 0.5 N PS/2 interface data sheet DNR 12411</p>	
1710	<p><b>IKMF2SV5-1HEPS2</b></p> <p>R&amp;R industrial keyboard 19"-1HE rack mount drawer appr.11° tiltable front panel Al anodized (W x H x D) 483 x 44 x 310 mm MF2-layout 102 keys lift 3 mm, actuation force 1 N AT compatible watchdog protection class IP 6 5 all around data sheet DNR 7651</p>	
1923	<p><b>IKMF2SV5-1HE USB</b></p> <p>R&amp;R industrial keyboard 19"-1HE rack mount drawer appr.11° tiltable front panel Al anodized (W x H x D) 483 x 44 x 310 mm MF2-layout 102 keys lift 3 mm, actuation force 1 N AT compatible watchdog protection class IP 6 5 all around data sheet DNR 7651</p>	

**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de


Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
1375	<p>IKMF2S-4HE Ps/2 0° C to +50° C</p> <p>R&amp;R Industrial keyboard                      front plate Al anodized                      (W x H x D) 483 x 177 x 26 mm                      watchdog                      102 patented R&amp;R-keys                      lift 3 mm                      actuation force 1 N                      3 m cable                      protection class IP 6 5 all around                      data sheet DNR 6068</p>	
1719	<p>IKMF2SV5-S1HE PS2</p> <p>R&amp;R industrial keyboard                      19"-1HE rack mount                      drawer appr.11° tiltable                      front panel Al anodized                      (W x H x D) 483 x 44 x 330 mm                      W95-layout 102 metal keys V5                      lift 1.2 mm, actuation force 1.5 N                      PS/2 compatible                      watchdog                      protection class IP 6 5 all around                      data sheet DNR 12697</p>	
1864	<p>IKMF2SV6-S1HE PS2</p> <p>R&amp;R industrial keyboard                      19"-1HE rack mount                      drawer appr.11° tiltable                      front panel Al anodized                      (W x H x D) 483 x 44 x 330 mm                      W95-layout 102 metal keys V6                      lift 1.2 mm, actuation force 1.5 N                      PS/2 compatible                      watchdog                      protection class IP 6 5 all around                      data sheet DNR 13695</p>	
673	<p>IKMF2T PS2/PS2</p> <p>R&amp;R Industrial mounting keyboard                      with integrated tracking ball                      front plate Al elox                      (W x H x D) 580 x 200 x 62 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      keyboard IP65                      Trackball IP54                      data sheet DNR 7737</p>	







**R&R Industrial Keyboards**  
**August 2005**  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
672	<p><b>IKMF2T2 2x PS2/PS2</b></p> <p>R&amp;R Industrial mounting keyboard with integrated trackball                      front plate Al elox                      (W x H x D) 580 x 200 x 62 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      keyboard IP65                      trackball IP54                      data sheet DNR 7738</p>	
42	<p><b>IKSPS-2x15</b></p> <p>R&amp;R Industrial keyboard mounting version                      front plate Al anodized                      (W x H x D) 339 x 117 x 29 mm                      2 x 15 patented R&amp;R-keys                      one pin for each key                      switching power 30 V / 10 mA                      2-row 40-pin plug                      lift 3 mm, actuation force 1 N                      front side protection class IP 6 5                      data sheet DNR 5778</p>	
154	<p><b>IKSPS1</b></p> <p>R&amp;R Industrial keyboard mounting version                      front plate elox                      (W x H x D) 155 x 230 x 30 mm                      26 patented R&amp;R keys                      lift 3 mm, actuation force 1 N                      switching power 30 V / 10 mA                      every contact laid out to the outside                      2-row 40-pin socket                      front side protection class IP 6 5                      data sheet DNR 4048</p>	
1531	<p><b>IKV5-MF2S-4HE AT 0° C to +50° C</b></p> <p>R&amp;R Industrial keyboard                      front plate Aluminium anodized                      (W x H x D) 483 x 177 x 26 mm                      watchdog                      102 patented R&amp;R-metal-keys V5                      lift 1.2 mm                      actuation force 1.5 N                      3 m cable                      protection class IP 6 5 all around                      data sheet DNR 11591</p>	





**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
703	<p><b>IKW95 AT</b></p> <p>R&amp;R Industrial desktop keyboard                      front plate Al anodized                      (W x H x D) 536 x 172 x 34 mm                      105 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 7905</p>	
871	<p><b>IKW95-2 PS2</b></p> <p>R&amp;R Industrial keyboard                      with 3 integrated push buttons</p> <p>front plate Al anodized                      (W x H x D) 580 x 200 x 67 mm                      105 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog                      cable 3 m with PS2 male plug                      protection class IP65                      1 x emergency off button, 1 x stroke button, 1 x pushbutton                      3 x 3 m cable with 5 wires                      data sheet DNR 8966</p>	
1594	<p><b>IKW95-3 DE PS/2</b></p> <p>R&amp;R industrial keyboard                      AL sand cast lacquered                      front panel Aluminium anodized                      (W x H x D) 505 x 250 x 35(52) mm                      WIN95-layout 105 keys                      lift 3 mm, actuation force 1 N                      PS/2 compatible                      watchdog                      weight appr. 5.7 kg                      protection class IP 6 5 all around                      data sheet DNR 3033</p>	
1455	<p><b>IKW95-3 UK PS/2</b></p> <p>R&amp;R industrial keyboard                      AL sand cast lacquered                      front panel Aluminium anodized                      (W x H x D) 505 x 250 x 35(52) mm                      WIN95-layout 105 keys                      lift 3 mm, actuation force 1 N                      PS/2 compatible                      watchdog                      weight appr. 5.7 kg                      protection class IP 6 5 all around                      data sheet DNR 3033</p>	





**R&R Industrial Keyboards**  
**August 2005**  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
692	<p><b>IKW95-J AT/RS232C</b></p> <p>R&amp;R Industrial desktop keyboard                      joystick with patented                      capacitive sensing                      front plate Al anodized                      (W x H x D) 536 x 172 x 30 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 7876</p>	
693	<p><b>IKW95-J PS2/PS2</b></p> <p>R&amp;R Industrial desktop keyboard                      joystick with patented                      capacitive sensing                      front plate Al elox                      (W x H x D) 536 x 172 x 30 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 7876</p>	
872	<p><b>IKW95E PS2</b></p> <p>R&amp;R Industrial mountable keyboard                      front plate Al anodized                      (W x H x D) 560 x 200 x 30 mm                      105 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 8977</p>	
1159	<p><b>IKW95E-1 PS2</b></p> <p>R&amp;R Industrial mountable keyboard                      front plate Al anodized                      (W x H x D) 500 x 200 x 34 mm                      105 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 8977</p>	





**R&R Industrial Keyboards**  
**August 2005**  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
1854	<p><b>IKW95EJ AT/RS232C</b></p> <p>R&amp;R Industrial Mountable keyboard joystick with patented capacitive sensing front plate Al elox            (W x H x D) 560 x 200 x 30 mm            105 patented R&amp;R-keys            lift 3 mm, actuation force 1 N            watchdog, cable 3 m            protection class IP 6 5 all around            data sheet DNR 13653</p>	
1292	<p><b>IKW95ES PS2/PS2 german</b></p> <p>R&amp;R Industrial mountable keyboard touch pad front plate Al anodised            (W x H x D) 560 x 200 x 34 mm            108 patented R&amp;R-keys            lift 3 mm, actuation force 1 N            watchdog, cable 3 m            protection class IP 6 5 all around            data sheet DNR 7880</p>	
698	<p><b>IKW95ES AT/RS232C polished</b></p> <p>R&amp;R Industrial desktop keyboard touchpad front plate Al polished and anodised            (W x H x D) 560 x 200 x 30 mm            108 patented R&amp;R-keys            lift 3 mm, actuation force 1 N            watchdog, cable 3 m            protection class IP 5 4 all around            data sheet DNR 7880</p>	
696	<p><b>IKW95ES AT/RS232C</b></p> <p>R&amp;R Industrial mountable keyboard touchpad front plate Al anodised            (W x H x D) 560 x 200 x 30 mm            108 patented R&amp;R-keys            lift 3 mm, actuation force 1 N            watchdog, cable 3 m            protection class IP 5 4 all around            data sheet DNR 7880</p>	





**R&R Industrial Keyboards**  
**August 2005**  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
697	<p><b>IKW95ES PS2/PS2 german</b></p> <p>R&amp;R Industrial mountable keyboard touch pad                      front plate Al anodised                      (W x H x D) 560 x 200 x 34 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 7880</p>	
699	<p><b>IKW95ES PS2/PS2 polished</b></p> <p>R&amp;R Industrial mountable keyboard touch pad                      front plate Al polished and anodised                      (W x H x D) 560 x 200 x 34 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 7880</p>	
986	<p><b>IKW95ES PS2/PS2</b></p> <p>R&amp;R Industrial mountable keyboard touch pad                      front plate Al anodised                      (W x H x D) 560 x 200 x 34 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog                      1 x RS232C mouse cable                      1 x PS/2 mouse cable                      1 x PS/2 keyboard cable                      protection class IP 6 5 all around                      data sheet DNR 7880</p>	
1003	<p><b>IKW95ES-2 PS2/PS2</b></p> <p>R&amp;R Industrial mountable keyboard touch pad                      front plate Al anodised                      (W x H x D) 560 x 240 x 34 mm                      123 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 9663</p>	

**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
1053	<p><b>IKW95ES-3 PS2/PS2</b></p> <p>R&amp;R Industrial mountable keyboard touch pad                      housing aluminium                      (W x H x D) 530 x 216 x 34 mm                      123 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 9954</p>	
1128	<p><b>IKW95ES PS2/PS2</b></p> <p>R&amp;R Industrial desktop keyboard touch pad                      front plate Al anodised                      (W x H x D) 560 x 200 x 34 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 7880</p>	
1129	<p><b>IKW95ES-5 PS2/PS2 + 16 key with profibus interface</b></p> <p>R&amp;R Industrial desktop keyboard touch pad                      front plate Al anodised                      (W x H x D) 560 x 200 x 34 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around</p>	
1334	<p><b>IKW95ES-6 mounting frame data sheet DNR 10697</b></p>	

**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
1333	<p><b>IKW95ES-6 PS2/PS2</b></p> <p>R&amp;R Industrial mountable keyboard                      touch pad                      housing Aluminium                      (W x H x D) 568 x 200 x 34 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 10697</p>	
1290	<p><b>IKW95ES-7 PS2/PS2 RS232C</b></p> <p>R&amp;R Industrial mountable keyboard                      touch pad                      housing aluminium                      (W x H x D) 570 x 226 x 34 mm                      123 patented R&amp;R-keys                      36 keys with RS232C interface                      Zlift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 10570</p>	
1305	<p><b>IKW95ES-8 PS2/PS2 türkisch</b></p> <p>R&amp;R Industrial mountable keyboard                      touch pad                      housing aluminium                      (W x H x D) 530 x 216 x 34 mm                      123 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 10662</p>	
1301	<p><b>IKW95ET PS2/PS2 + Video 3xPC</b></p> <p>R&amp;R Industrial mounting keyboard                      with integrated 60mm tracking ball                      front plate Al anodized                      (W x H x D) 600 x 200 x 62 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      IP65 dust and water proofed                      data sheet DNR 10601</p>	

**R&R Industrial Keyboards**  
**August 2005**  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
1374	<p>IKW95ET-1 PS2/PS2 1xPC</p> <p>R&amp;R Industrial mounting keyboard with integrated 60mm tracking ball front plate Al anodized (W x H x D) 600 x 200 x 62 mm 108 patented R&amp;R-keys lift 3 mm, actuation force 1 N watchdog, 3 m cable IP65 dust and water proofed data sheet DNR 10601</p>	
1399	<p>IKW95ET-2 PS2/PS2 1xPC</p> <p>R&amp;R Industrial mounting keyboard with integrated 60mm tracking ball front plate Al anodized (W x H x D) 600 x 200 x 62 mm 108 patented R&amp;R-keys lift 3 mm, actuation force 1 N watchdog, 3 m cable IP65 dust and water proofed data sheet DNR 10601</p>	
1284	<p>IKW95P2 PS2</p> <p>R&amp;R programmable Industrial desktop keyboard front plate Al anodized (W x H x D) 480 x 300 x 37 mm 105 + 68 patented R&amp;R-keys lift 3 mm, actuation force 1 N watchdog, cable 3 m protection class IP 6 5 all around programable over RS232C data sheet DNR 8032</p>	
746	<p>IKW95P2 PS2</p> <p>R&amp;R programmable Industrial desktop keyboard front plate Al anodized (W x H x D) 480 x 300 x 37 mm 105 + 68 patented R&amp;R-keys lift 3 mm, actuation force 1 N watchdog, cable 3 m protection class IP 6 5 all around programable over RS232C data sheet DNR 8032</p>	



**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-Id.Nr.: DE141907699

Art.-Nr	Bezeichnung	Bild
622	<p><b>IKW95S IP65 AT</b></p> <p>R&amp;R Industrial keyboard                      front plate Al elox                      (W x H x D) 420 x 164 x 30 mm                      97 patented R&amp;R-keys                      silicon switching pad DNR 3374                      lift 3 mm, actuation force 1 N                      lifetime &gt; 3 million cycles                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 7495</p>	
623	<p><b>IKW95S IP65 PS2</b></p> <p>R&amp;R Industrial keyboard                      front plate Al elox                      (W x H x D) 420 x 164 x 30 mm                      97 patented R&amp;R-keys                      silicon switching pad DNR 3374                      lift 3 mm, actuation force 1 N                      lifetime &gt; 3 million cycles                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 7495</p>	
544	<p><b>IKW95SJ F IP65 AT / RS232C F</b>                      desktop keyboard French layout</p> <p>R&amp;R Industrial keyboard                      joystick with patented                      capacitive sensing                      front plate Al elox                      (W x H x D) 420 x 164 x 30 mm                      97 patented R&amp;R-keys                      silicon switching pad DNR 3374                      lift 3 mm, actuation force 1 N                      lifetime &gt; 3 million cycles                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 6497</p>	
419	<p><b>KW95SJ IP65 AT / RS232C german</b></p> <p>R&amp;R Industrial desktop keyboard                      joystick with patented                      capacitive sensing                      front plate Al elox                      (W x H x D) 420 x 164 x 30 mm                      97 patented R&amp;R-keys                      silicon switching pad DNR 3374                      lift 3 mm, actuation force 1 N                      lifetime &gt; 3 million cycles                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 6497</p>	





**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
753	<p>KW95SJ IP65 AT / RS232C USASCII</p> <p>R&amp;R Industrial desktop keyboard joystick with patented capacitive sensing front plate Al elox (W x H x D) 420 x 164 x 30 mm 97 patented R&amp;R-keys silicon switching pad DNR 3374 lift 3 mm, actuation force 1 N lifetime &gt; 3 million cycles watchdog, cable 3 m protection class IP 6 5 all around data sheet DNR 6497</p>	
621	<p>KW95SJ IP65 PS2 / PS2</p> <p>R&amp;R Industrial keyboard joystick with patented capacitive sensing front plate Al elox (W x H x D) 420 x 164 x 30 mm 97 patented R&amp;R-keys silicon switching pad DNR 3374 lift 3 mm, actuation force 1 N lifetime &gt; 3 million cycles watchdog, cable 3 m protection class IP 6 5 all around data sheet DNR 6497</p>	
752	<p>KW95SJ IP65 PS2 / PS2 USASCII</p> <p>R&amp;R Industrial keyboard joystick with patented capacitive sensing front plate Al elox (W x H x D) 420 x 164 x 30 mm 97 patented R&amp;R-keys silicon switching pad DNR 3374 lift 3 mm, actuation force 1 N lifetime &gt; 3 million cycles watchdog, cable 3 m protection class IP 6 5 all around data sheet DNR 6497</p>	
421	<p>IKW95SJ-1HE IP65 AT / RS232C</p> <p>R&amp;R Industrial keyboard joystick with patented capacitive sensing drawer keyboard front plate Al elox (W x H x D) 483 x 44 x 310 mm 97 patented R&amp;R-keys silicon switching pad DNR 3374 lift 3 mm, actuation force 1 N lifetime &gt; 3 million cycles watchdog, cable 3 m protection class IP 6 5 all around data sheet DNR 6525</p>	





**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
782	<p><b>IKW95SJ-1HE IP65 PS2 / PS2</b></p> <p>R&amp;R Industrial keyboard                      joystick with patented capacitive sensing                      drawer keyboard                      front plate Al elox                      (W x H x D) 483 x 177 x 30 mm                      97 patented R&amp;R-keys                      silicon switching pad DNR 3374                      lift 3 mm, actuation force 1 N                      lifetime &gt; 3 million cycles                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 6525</p>	
420	<p><b>IKW95SJ-4HE IP65 AT / RS232C</b></p> <p>R&amp;R Industrial keyboard                      joystick with patented capacitive sensing                      front plate Al elox                      (W x H x D) 483 x 177 x 30 mm                      97 patented R&amp;R-keys                      silicon switching pad DNR 3374                      lift 3 mm, actuation force 1 N                      lifetime &gt; 3 million cycles                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 6498</p>	
648	<p><b>IKW95SJ-E IP65 AT / RS232C German</b></p> <p>R&amp;R Industrial keyboard                      joystick with patented capacitive sensing                      front plate Al elox                      (W x H x D) 483 x 177 x 30 mm                      97 patented R&amp;R-keys                      silicon switching pad DNR 3374                      lift 3 mm, actuation force 1 N                      lifetime &gt; 3 million cycles                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 7617</p>	
650	<p><b>IKW95SJ-E IP65 AT / RS232C italien</b></p> <p>R&amp;R Industrial keyboard                      joystick with patented capacitive sensing                      front plate Al elox                      (W x H x D) 483 x 177 x 30 mm                      97 patented R&amp;R-keys                      silicon switching pad DNR 3374                      lift 3 mm, actuation force 1 N                      lifetime &gt; 3 million cycles                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 7617</p>	




**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
649	<p><b>IKW95SJ-E IP65 AT / RS232C USASCII</b></p> <p>R&amp;R Industrial keyboard                      joystick with patented capacitive sensing                      front plate Al elox                      (W x H x D) 483 x 177 x 30 mm                      97 patented R&amp;R-keys                      silicon switching pad DNR 3374                      lift 3 mm, actuation force 1 N                      lifetime &gt; 3 million cycles                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 7617</p>	 <p>Technical drawing of the IKW95SJ-E keyboard. It includes a top view showing the keyboard layout with a joystick on the right side and a side view showing the profile and dimensions. Dimensions include a total width of 483 mm, a height of 30 mm, and a depth of 177 mm. The drawing also shows the keyboard's connection points and the R&amp;R logo.</p>
777	<p><b>IKW95SJ-E2 IP65 AT / RS232C German</b></p> <p>R&amp;R Industrial keyboard                      joystick with patented capacitive sensing                      front plate Al elox                      (W x H x D) 440 x 175 x 30 mm                      97 patented R&amp;R-keys                      silicon switching pad DNR 3374                      lift 3 mm, actuation force 1 N                      lifetime &gt; 3 million cycles                      watchdog, cable 3 m                      protection class IP 6 5 all around                      data sheet DNR 8258</p>	 <p>Technical drawing of the IKW95SJ-E2 keyboard. It includes a top view showing the keyboard layout with a joystick on the right side and a side view showing the profile. The drawing also shows the keyboard's connection points and the R&amp;R logo.</p>
852	<p><b>IKW95SJ-L PS2/PS2 IP65 deutsch</b></p> <p>R&amp;R Industrial keyboard                      joystick with patented capacitive sensing                      (W x H x D) 422 x 166 x 33 mm                      97 patented R&amp;R-keys                      silicon switching pad DNR 3374                      lift 3 mm, actuation force 1 N                      lifetime &gt; 3 million cycles                      watchdog, cable 3 m                      protection class IP 6 5                      data sheet DNR 8820</p>	 <p>Technical drawing of the IKW95SJ-L keyboard. It includes a top view showing the keyboard layout with a joystick on the right side and a side view showing the profile. The drawing also shows the keyboard's connection points and the R&amp;R logo.</p>
670	<p><b>IKW95T PS2/PS2</b></p> <p>R&amp;R Industrial mounting keyboard                      with integrated 2" tracking ball                      front plate Al anodized                      (W x H x D) 580 x 200 x 62 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      keyboard IP65                      Trackingball IP54                      data sheet DNR 7706</p>	 <p>Photograph of the IKW95T keyboard. It is a light blue, industrial-style keyboard with a tracking ball on the right side. The keyboard is shown outdoors on a grassy surface.</p>

**R&R Industrial Keyboards**  
 August 2005  
 www.RuRgmbH.de info@RuRgmbH.de

Ob der Eck 4 78148 Gütenbach Telefon (07723) 9186-0 Fax 9186-30  
 Kreissparkasse Tuttlingen (BLZ 64350070) 392  
 USt.-IdNr.: DE141907699

Art.-Nr	Bezeichnung	Bild
671	<p><b>IKW95T2 2x PS2/PS2</b></p> <p>R&amp;R Industrial mounting keyboard with integrated tracking ball                      front plate Al anodized                      (W x H x D) 580 x 200 x 62 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      keyboard IP65                      Trackball IP54                      data sheet DNR 7708</p>	
694	<p><b>IKW95T3 AT/RS232C</b></p> <p>R&amp;R Industrial desktop keyboard trackball                      Ball diameter 34 mm                      Seal material PTFE                      front plate Al anodized                      (W x H x D) 536 x 172 x 30 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 5 4 all around                      data sheet DNR 7875</p>	
695	<p><b>IKW95T3 PS2/PS2</b></p> <p>R&amp;R Industrial desktop keyboard trackball                      Ball diameter 34 mm                      Seal material PTFE                      front plate Al anodized                      (W x H x D) 536 x 172 x 30 mm                      108 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      protection class IP 5 4 all around                      data sheet DNR 7875</p>	
796	<p><b>IKW95T4 PS2/PS2</b></p> <p>R&amp;R Industrial mounting keyboard with integrated tracking ball                      front plate Al anodized                      (W x H x D) 550 x 205 x 40 mm                      117 patented R&amp;R-keys                      lift 3 mm, actuation force 1 N                      watchdog, cable 3 m                      keyboard IP65                      interface PS2                      Trackball 2"                      IP54 dust and waterproof                      interface PS2                      data sheet DNR 8451</p>	